

**PRODUCT
CATALOGUE**

LEXRISE™

POWERED BY LEKSA LIGHTING



WWW.LEXRISEINDIA.COM

OUR VERTICALS



AWARDS AND RECOGNITIONS



Fastest Growing Indian
Brand, Dubai



Excellence in Manufacturing
and Customer Satisfaction,
Thailand



Nominated BEST 5000
MSME's Award



Most Trusted Company Award For
Excellence in Lighting Equipment's
Manufacturer on the occasion of
"Outstanding contributions to National
Development - Atmanirbhar Bharat"



Highflyers 50 Global Indians Award for
Outstanding Achievers to our Executive
Director Mr. Ronald Silvan Dsouza



Awarded "10 Best Electronics
Startups 2023" recognized by
Siliconindia Magazine



Awarded as the Emerging Brand
in Lighting from Times Group -
Economic Times of India

CONTENTS

GENERAL LIGHTING

1

CANDIDUS

2

DAYL

3

PATET

4

DIASCIA

5

OPSTAAN

6

RAIDEN

7

AVIRA

8

LEWANA

9

OCTET

10

FLOWER POT

11

MACULA LUX

12

HYPERICUM & VIVID

13

GADE SHINE

14

ELIO

16

ARGIL LIGHTS

22

AUREA LIGHTS

34

ACRYLIC LIGHTS



GENERAL LIGHTS

LEXRISE general Lights are essential part of indoors to awaken the space, making mind to tranquil along with visual comfort. With flexibility of recessed and flush mounting arrangement, these lights have a premium quality which are best suited for office spaces, educational institutes, residential, health care centres and many more places.

LEXRISE
POWERED BY LEKSA LIGHTING



QUADRA (6W)

Product Code	P-E063S / P-E064S / P-E066S
CCT (K)	3000K / 4000K / 6500K
Dimension(mm)	120x120x24
Cut - Out (mm)	105x105



QUADRA (15W)

Product Code	P-E153S / P-E154S / P-E156S
CCT (K)	3000K / 4000K / 6500K
Dimension(mm)	170x170x24
Cut - Out (mm)	155x155

CURVED (6W)

Product Code	P-E063R / P-E064R / P-E066R
CCT (K)	3000K / 4000K / 6500K
Dimension(mm)	Ø120x24
Cut - Out (mm)	Ø105



CURVED (15W)

Product Code	P-E153R / P-E154R / P-E156R
CCT (K)	3000K / 4000K / 6500K
Dimension(mm)	Ø170x24
Cut - Out (mm)	Ø155

The CANDIDUS edgelit PC downlight has a slender design with light guiding profile which provides a holistic pleasant atmosphere and visual comfort. This recessed panel light is best suited for false ceiling applications like office spaces, residentials, educational institutes & health care centres etc.



QUADRA (6W)

Product Code	M-E063S / M-E064S / M-E066S
CCT (K)	3000K / 4000K / 6500K
Dimension(mm)	118x118x15.5
Cut - Out (mm)	106x106



QUADRA (15W)

Product Code	M-E153S / M-E154S / M-E156S
CCT (K)	3000K / 4000K / 6500K
Dimension(mm)	168x168x15.5
Cut - Out (mm)	155x155

CURVED (6W)

Product Code	M-E063R / M-E064R / M-E066R
CCT (K)	3000K / 4000K / 6500K
Dimension(mm)	Ø118.5x16.5
Cut - Out (mm)	Ø106



CURVED (15W)

Product Code	M-E153R / M-E154R / M-E156R
CCT (K)	3000K / 4000K / 6500K
Dimension(mm)	Ø168x16.5
Cut - Out (mm)	Ø155

The DAYL edgelit aluminium downlight has a compact design with high transmittance profile and high performance which provides a smooth ambience in the room. This recessed downlight is best suited for office spaces, residencials, educational institutes & health care centres etc.



QUADRA (6W)

Product Code	P-B063S / P-B064S / P-B066S
CCT (K)	3000K / 4000K / 6500K
Dimension(mm)	116x116x36
Cut - Out (mm)	100x100



QUADRA (15W)

Product Code	P-B153S / P-B154S / P-B156S
CCT (K)	3000K / 4000K / 6500K
Dimension(mm)	166x166x36
Cut - Out (mm)	150x150

CURVED (6W)

Product Code	P-B063R / P-B064R / P-B066R
CCT (K)	3000K / 4000K / 6500K
Dimension(mm)	Ø116X36
Cut - Out (mm)	Ø100



CURVED (15W)

Product Code	P-B153R / P-B154R / P-B156R
CCT (K)	3000K / 4000K / 6500K
Dimension(mm)	Ø166x36
Cut - Out (mm)	Ø150

The PATET backlit PC downlight has an excellent illuminance, stable performance which upgrades the ambience of the room. As it is recessed in the ceiling, suitable for office spaces, educational institutes, residentials, health care centres etc.



CURVED (12W)

Product Code	P-B1231S
CCT (K)	3in1
Dimension(mm)	166x166x36
Cut - Out (mm)	150x150



CURVED (12W)

Product Code	P-B1231R
CCT (K)	3in1
Dimension(mm)	Ø166X36
Cut - Out (mm)	Ø150



The DIASCIA backlit versatile PC downlight gives a super comfort feel and light your place as per your mood by a flip of switch. This recessed panel light would enrich your leisure time by creating a delightful environment.



QUADRA (6W)

Product Code	M-S063S / M-S064S / M-S066S
CCT (K)	3000K / 4000K / 6500K
Dimension(mm)	120x120x32.5



QUADRA (15W)

Product Code	M-S153S / M-S154S / M-S156S
CCT (K)	3000K / 4000K / 6500K
Dimension(mm)	168x168x32.5

CURVED (6W)

Product Code	M-S063R / M-S064R / M-S066R
CCT (K)	3000K / 4000K / 6500K
Dimension(mm)	Ø120x31.5



CURVED (15W)

Product Code	M-S153R / M-S154R / M-S156R
CCT (K)	3000K / 4000K / 6500K
Dimension(mm)	Ø170x31.5

The OPSTAAN aluminium surface panel has a ultra finish, high performance with optimized heat dissipation giving a smooth distribution of light. It is versatile to place with flush mounting arrangement providing hassle free installation.



LED BULB

Product Code	LR-0965-2S
Wattage	9W
CCT(K)	6500
Dimension(mm)	Ø60x106



The RAIDEN is an energy efficient LED Bulb with retrofit solution, mainly for residentials providing an omnidirectional illumination to a room. It can easily replace CFL & GLS lamps and fits into standard B22 socket adaptor.



EMERGENCY BULB

Product Code	LR-0965-EB
Wattage	9W
CCT(K)	6500K
Dimension(mm)	Ø70x140
Battery charging time	8 to 10 hours
Battery charging cycles	500 cycles
Backup time	Upto 4 hours
Battery Capacity	2000 mAh
Options	1 step dim (50%), 2 step dim(25%)



The AVIRA emergency bulb being an ideal solution for rural areas and some parts of the cities with higher power outages, acts as the perfect fit at places such as bathrooms, corridors, garages, etc with back time upto 4 hours.



LED BATTEN

Product Code	Wattage(W)	CCT(K)	Dimension(mm)
P-1065	10W	6500K	535x22x32
P-2065	20W	6500K	1100x24x33
P-3665	36W	6500K	1175x29x39
M-4065	40W	6500K	1135x31x40



The LEWANA has a slim design with high lumen performance which is a perfect choice for indoor spaces. This power-efficient LED light is an ideal replacement for power hungry 4ft FTL. This is best suited for residential, shops etc.



FIXED COB DOWN LIGHT

Product Code	Wattage(W)	CCT(K)	Dimension(Dia x height)	Cut-out (dia)
LR-M-CR06XRFW	6W	3000/4000/6500	Ø65 x 60	Ø54
LR-M-CR12XRFW	12W	3000/4000/6500	Ø84 x 76	Ø70
LR-M-CR18XRFW	18W	3000/4000/6500	Ø95.5 x 98	Ø84
LR-M-CR20XRFW	20W	3000/4000/6500	Ø95.5 x 98	Ø84
LR-M-CR24XRFW	24W	3000/4000/6500	118 x 126	Ø105.5



The OCTET COB light has a superior irradiance with a beam of light focused to desired areas. the heatsink is aerodynamically designed for efficient heat dissipation. This recessed downlight is best suited for accent lighting in retails shops, showrooms & cafeteria etc.



TILTABLE COB DOWN LIGHT

Product Code	Wattage(W)	CCT(K)	Dimension(mm)	Cut-out (mm)
LR-M-CR03XRTW	3W	3000/4000/6500	Ø67 x 41	Ø53
LR-M-CR06XRTW	6W	3000/4000/6500	Ø84 x 45	Ø69
LR-M-CR12XRTW	12W	3000/4000/6500	Ø98 x 56	Ø68
LR-M-CR16XRTW	16W	3000/4000/6500	Ø108 x 53	Ø87
LR-M-CR24XRTW	24W	3000/4000/6500	Ø158 x 89	Ø132
LR-M-CR30XRTW	30W	3000/4000/6500	Ø158 x 89	Ø132




The FLOWER POT COB LED has a seamless look, high luminance with tilttable / adjustable optics casting a light in multiple directions. The heatsink is aerodynamically designed for efficient heat dissipation. This recessed downlight is best suited for wall highlighting, accent lighting & product display lighting etc.



MACULA LUX

Product Code	LR-M-2236X-B
Wattage	36W
CCT(K)	3000K / 4000K / 6500K
Dimension(mm)	595x595x34
Cut -out(mm)	Ø595x595



The MACULA LUX has a ultra finish with wide diffuser window which provides uniform distribution of light and visual harmony. It enhances the work experience & productivity by providing homogeneous illumination.



LED FLOOD LIGHT

Product Code	Wattage(W)	CCT(K)/color	Dimension(mm)
P-F020X	20W	3000/6500/Amber/Green/Red	180x133x48
F0503 / F0505	50W	3000 / 5700	235x235x50
F1003 / F1005	100W	3000 / 5700	275x300x60
F1503 / F1505	150W	3000 / 5700	295x340x55
F2003 / F2005	200W	3000 / 5700	295x340x55



The HYPERICUM floodlight is durable and ergonomically designed for better thermal management & high performance. The high transmittance toughened glass provides enhanced brightness and strength. This is best suited for facades, area lighting and monuments etc.




LED STREET LIGHT

Product Code	Wattage(W)	CCT(K)	Dimension(mm)
ST0243 / ST0245	24W	3000 / 6500	274x120x57
ST0363 / ST0365	36W	3000 / 6500	312x136x57
ST0503 / ST0505	50W	3000 / 6500	352x170x57
ST01003 / ST1005	100W	3000 / 6500	420x188x68



The GADE SHINE has a robust design with efficient heat dissipation. It has a diffuser cum lens optics which provides optimum optical performance and illuminate the outdoors uniformly. It is recommended for residential and collector roadways.



SOLAR DECK LIGHT

Product Code	CCT(K)	Wattage(W)	Dimension(mm)	Battery capacity(mAh)
SD0x52H	2700K	0.5W	93x82x20	1000mAh
SD012R	2700K	1W	Ø105x22	700mAh



The ELIO Solar Deck Light made of ultrasound packaging technology without any screws, and also waterproof, corrosion resistance, frost resistance, heat resistant. It is fitted with rechargeable batteries that charged during daytime and store the energy through solar panels and lighten up the LED light automatically.



HIGHBAY LIGHT

Product Code	Wattage(W)	CCT (K)	Dimension(mm)
HB1005R-120-2	100W	5700K	Ø254x120
HB1505R-120-2	150W	5700K	Ø320x130
HB2005R-120-2	200W	5700K	Ø360x145



The Orb Lumos Highbay light is used in manufacturing facilities, gymnasiums, warehouses, large department stores, factories, and more. These facilities are typically vast and cover a lot of vertical as well as horizontal spaces. Our lights provide the appropriate foot candle levels to adequately illuminate the vast spaces.




ARGIL LIGHTS

The Eco-friendly ARGIL clay lights have terracotta material with exceptional appealing designs. This vintage light provides a perfect balance between the illumination of space and light through decorative element on the product. These lights are specially used in banquet halls, ballrooms, billiard rooms, restaurants & lounges and many more places.

LEXRISE
POWERED BY LEKSA LIGHTING

ARGIL LIGHTS



AG CLARA 418/430/7AC

Dimensions (mm)	: Ø 160 x 309(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: Clay
Bulb CCT (K)	: 1800 / 3000/RGB Auto
Wattage	: 4W / 7W



AG IBERIS 418/430/7AC


Dimensions (mm)	: Ø 180 x 220(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: Clay
Bulb CCT (K)	: 1800 / 3000/RGB Auto
Wattage	: 4W / 7W



AG GARDENIA 418/430/7AC

Dimensions (mm)	: Ø 170 x 310(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: Clay
Bulb CCT (K)	: 1800 / 3000/RGB Auto
Wattage	: 4W / 7W


ARGIL LIGHTS



MONARDA

AG MONARDA 418/430/7AC

Dimensions (mm)	: Ø 195 x 200(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: Clay
Bulb CCT (K)	: 1800 / 3000/RGB Auto
Wattage	: 4W / 7W



LUNA

AG LUNA 418/430/7AC/X27C-66D

Dimensions (mm)	: Ø 155 x 130(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: Clay
Bulb CCT (K)	: 1800 / 3000/RGB Auto
Wattage	: 4W / 7W
AG LUNA X27C-66D	: 6W 2700K(COB) + 6W 6500K(DL)



SOMA

AG SOMA 418/430/7AC/X27C-126D


Dimensions (mm)	: Ø 160 x 160(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: Clay
Bulb CCT (K)	: 1800 / 3000/RGB Auto
Wattage	: 4W / 7W
AG SOMA X27C-126D	: 6W 2700K (COB) + 6Wx2 6500K(DL)

ARGIL LIGHTS




AG SEPTA 418/430/7AC

Dimensions (mm)	: Ø 160 x 320(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: Clay
Bulb CCT (K)	: 1800 / 3000/RGB Auto
Wattage	: 4W / 7W



AG NID 418/430/7AC

Dimensions (mm)	: Ø 180 x 180(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: Clay
Bulb CCT (K)	: 1800 / 3000/RGB Auto
Wattage	: 4W / 7W



AG FLUCTUS 418/430/7AC

Dimensions (mm)	: Ø 210 x 210(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: Clay
Bulb CCT (K)	: 1800 / 3000/RGB Auto
Wattage	: 4W / 7W

ARGIL LIGHTS



FLAME

AG FLAME 418/430/7AC/X31C/XCTC

Dimensions (mm)	: Ø 135 x 155(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: Clay
Bulb CCT (K)	: 1800/3000/RGB Auto
Wattage	: 4W / 7W
AG FLAME X31C	: 12W- 3in1 COB



DUTCH OVEN

AG DUTCH OVEN 418/430/7AC

Dimensions (mm)	: Ø 115 x 110 x 300(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: Clay
Bulb CCT (K)	: 1800/3000/RGB Auto
Wattage	: 4W / 7W




FLATTER

AG FLATTER 418/430/7AC


Dimensions (mm)	: Ø 190 x 205(w) x 180(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: Clay
Bulb CCT (K)	: 1800/3000/RGB Auto
Wattage	: 4W / 7W

ARGIL LIGHTS



AG IXORA 418/430/7AC

Dimensions (mm)	: Ø 110 x 280(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: Clay
Bulb CCT (K)	: 1800 / 3000/RGB Auto
Wattage	: 4W / 7W



AG BELLFLOWER 418/430/7AC

Dimensions (mm)	: Ø 135 x 145(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: Clay
Bulb CCT (K)	: 1800 / 3000/RGB Auto
Wattage	: 4W / 7W



AG ASTER 418/430/7AC

Dimensions (mm)	: Ø 105 x 310(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: Clay
Bulb CCT (K)	: 1800 / 3000/RGB Auto
Wattage	: 4W / 7W




AUREA LIGHTS

AUREA LEDs are natural archetypal bamboo lights of LEXRISE which are flawlessly handcrafted giving a suave aesthetics and warm ambience to the interiors. The pendant type lampshade with sophisticated different style provides nature's beauty at home. These lights are best suited for dining rooms, aisles, corridors, restaurants, lounges and many more places.

LEXRISE
POWERED BY LEKSA LIGHTING


AUREA LIGHTS



NEOMA

AU NEOMA 418/430


Dimensions (mm)	: Ø 270 x 230(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: bamboo
Bulb CCT (K)	: 1800 / 3000
Wattage	: 4W



MEEZA

AU MEEZA 418/430

Dimensions (mm)	: Ø 200 x 380(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: bamboo
Bulb CCT (K)	: 1800 / 3000
Wattage	: 4W




AHANA

AU AHANA 418/430

Dimensions (mm)	: Ø 420 x 420(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: bamboo
Bulb CCT (K)	: 1800 / 3000
Wattage	: 4W




AUREA LIGHTS



OLWEN

AU OLWEN 418/430


Dimensions (mm)	: Ø 600 x 300(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: bamboo
Bulb CCT (K)	: 1800 / 3000
Wattage	: 4W



ELENA

AU ELENA 418/430

Dimensions (mm)	: Ø 670 x 200(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: bamboo
Bulb CCT (K)	: 1800 / 3000
Wattage	: 4W




AERY

AU AERY 418/430

Dimensions (mm)	: Ø 200 x 170(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: bamboo
Bulb CCT (K)	: 1800 / 3000
Wattage	: 4W


AUREA LIGHTS



DAFFODIL

AU DAFFODIL 418/430


Dimensions (mm)	: Ø 200 x 250(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: bamboo
Bulb CCT (K)	: 1800 / 3000
Wattage	: 4W



AMULET

AU AMULET 418/430

Dimensions (mm)	: Ø 340 x 200(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: bamboo
Bulb CCT (K)	: 1800 / 3000
Wattage	: 4W



CELOSIA

AU CELOSIA 418/430

Dimensions (mm)	: Ø 330 x 250(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: bamboo
Bulb CCT (K)	: 1800 / 3000
Wattage	: 4W


AUREA LIGHTS



CLOVER

AU CLOVER 418/430

Dimensions (mm)	: Ø 220 x 220(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: bamboo
Bulb CCT (K)	: 1800 / 3000
Wattage	: 4W



DAISY

AU DAISY 418/430

Dimensions (mm)	: Ø 270 x 230(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: bamboo
Bulb CCT (K)	: 1800 / 3000
Wattage	: 4W



SCILLA

AU SCILLA 418/430

Dimensions (mm)	: Ø 200 x 220(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: bamboo
Bulb CCT (K)	: 1800 / 3000
Wattage	: 4W

AUREA LIGHTS



TULIP

AU TULIP 418/430

Dimensions (mm)	: Ø 270 x 160(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: bamboo
Bulb CCT (K)	: 1800 / 3000
Wattage	: 4W



STELLA

AU STELLA 418/430

Dimensions (mm)	: Ø 200 x 220(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: bamboo
Bulb CCT (K)	: 1800 / 3000
Wattage	: 4W



NEMESIA

AU NEMESIA 418/430

Dimensions (mm)	: Ø 250 x 210(ht.)
Lamp Holder	: E27 (bulb included)
Wire Length	: 1 mtr. Approx
Material	: bamboo
Bulb CCT (K)	: 1800 / 3000
Wattage	: 4W



ACRYLIC LIGHTS

Acrylic light is the magical solution to enhance the mood of any confined space. Whether you want to create a romantic ambience in your bedroom or enhance the décor of your dining area, you can depend on these lighting solutions to produce amazing results.

LEXRISE
POWERED BY LEKSA LIGHTING



ACRYLIC DECORATIVE LIGHTS



GAISMA

DL-GAISMA0631

Wattage : 6W
CCT(K) : 3in1
Dimension(mm) : 205 x 100 x 90 mm



AURORA

DL-AURORA0631

Wattage : 6W
CCT(K) : 3in1
Dimension(mm) : 250 x 100 x 120mm



SUVAN

DL-SUVAN0631

Wattage : 6W
CCT(K) : 3in1
Dimension(mm) : 310 x 150 x 130 mm



ACRYLIC DECORATIVE LIGHTS



GLANZA

DL-GLANZA0631

Wattage : 6W
CCT(K) : 3in1
Dimension(mm) : 230x 100 x 100 mm



RIGEL

DL-RIGEL0631

Wattage : 6W
CCT(K) : 3in1
Dimension(mm) : 200 x 200 x 65 mm



LEORA

DL-LEORA0831

Wattage : 8W
CCT(K) : 3in1
Dimension(mm) : 240 x 135 x 120 mm



ACRYLIC DECORATIVE LIGHTS



BLAZE

DL-BLAZE0631

Wattage : 6W
CCT(K) : 3in1
Dimension(mm) : 275 x 105 x 45 mm



VULCAN

DL-VULCAN0831

Wattage : 8W
CCT(K) : 3in1
Dimension(mm) : 240 x 120 x 115 mm



CASTOR

DL-CASTOR0631

Wattage : 6W
CCT(K) : 3in1
Dimension(mm) : 250 x 100 x 90



EMBER

DL-EMBER0631

Wattage : 6W
CCT(K) : 3in1
Dimension(mm) : 135 x 125 x 85 mm

Notes

A series of horizontal dashed lines for writing notes.



www.lexriseindia.com



+91 7899543210



lexrise@leksalighting.com

Manufacturing Unit

LEKSA LIGHTING TECHNOLOGIES PVT LTD

Ashwathpura Road, Moodbidri
Mangaluru, Karnataka, India – 574227

LEKSA[®]
LIGHTING





LEKSA[®] LIGHTING

A PROFESSIONAL LIGHTING MANUFACTURER

MAKE IN INDIA 